Review of the species of *Paratenetus*Spinola inhabiting America, north of Mexico (Coleoptera: Tenebrionidae)



Y. Bousquet and P. Bouchard Agriculture & Agri-Food Canada



Agriculture and Agri-Food Canada

Agriculture et
Agroalimentaire Canada




Outline

- Background information
- Species composition
- Distribution
- Summary

Background information

- Belongs to Lagriinae
- Received little taxonomic attention recently
- Species concepts: difficult to access some types (e.g., Spinola, Motschulsky)

More than 50 species in Americas, mostly in tropical countries





Species composition

Spinola types

 Museo Regionale di Scienze Naturali, Torino, Italy Contact: Luca Picciau

LeConte, Fall types

 Museum of Comparative Zoology, USA Contact: Phil Perkins

Motschulsky types

 Zoological Museum, Moscow University, Russia Contact: Nikolay Nikitsky

Species composition: spp. with short metaventrite

Paratenetus gibbipennis Motschulsky, 1868

Paratenetus cribratus Motschulsky, 1868

Type locality: «Géorgie américaine». New synonymy

Note: females much more abundant than males!



Paratenetus fuscus LeConte, 1850

Paratenetus crinitus Fall, 1907

Type locality: «Trout Spring [New Mexico]». **New** synonymy

Note: with numerous long setae



Species composition

Paratenetus punctatus Spinola, 1844

Types:


- -original type locality: «Etats-unis de l'Amérique septentrionale»,
- -three specimens from Dejean's collection came with handwritten labels written by "Ekis 1974",
- -one proposed as a lectotype and one as a paralectotype,
- -specimens in poor condition,
- -two specimens don't belong to N. American fauna!,
- -third specimen selected as lectotype and given a new label.

Note:

-species associated with old nests of Malacosoma










Species composition

Paratenetus exutus sp. nov.

Notes:

- -males without spine on front tibia,
- -antennomere 8 transverse,
- -metaventrite disticutly darker.






Paratenetus texanus sp. nov.


Notes:

- -puntuation on pronotum sparser, not subcontiguous
- -most common in Texas but also elsewhere
- -compared with types from Mexico (Champion)



Distribution





Figures 10–11. Maps showing collection localities in North America. **10**. *Paratenetus gibbipennis*; **11**. *P. fuscus*. **Figures 12–13**. Maps showing collection localities in North America. **12**. *Paratenetus punctatus*; **13**. *P. exutus*.

Distribution




Figure 14. Map showing collection localities in America (north of Mexico) of *Paratenetus texanus*.

Summary

- Five valid species
- Two new synonymies
- Two new species
- Lectotype designation for P. punctatus

Manuscript to be included in "Proceedings"